Town of Gorham Planning Board Meeting September 11, 2023

ITEM 3 - Land Use and Development Code Amendment – <u>Discussion</u>: proposed amendment to the Land Use and Development Code to revise standards for curb cuts on arterials and designated collectors consistent with the Town's Comprehensive Plan.

INDEX OF PACKET ENCLOSURES

DESCRIPTION	PAGE NUMBER
1. Overview	2
2. Proposed Technical Standards	2-5
3. Proposed Applicable Roadways List	5-6
4. Motions	7
Attachment A: Map of Applicable Roadways	

AMENDMENT TRACKING

DESCRIPTION	COMMENTS	STATUS
Town Council	Order #22-92	8/2022, 8/2023
TC Ordinance Committee		12/2022, 1/2023, 2/2023, 3/2023, 4/2023, 5/2023, 6/2023
Planning Board		9/2023

Memo completed by Charles Norton, Town Engineer, and Damon Yakovleff, Assistant Planner

1. Overview

The Town Council has recommended revisions to the Town's standards for accessing arterial and collector roads. The purpose of the revisions is to improve public safety by reducing crashes, and improving mobility. The Town Council Ordinance Committee's recommendations were developed based on input from the Town's Engineer and a third-party traffic engineer Barton and Loguidice and Town Staff.

2. Proposed Access Management Technical Standards

Additions are <u>underlined</u>: deletions are

Section 2-5 Minimum Standards for the Design and Construction of Streets and Ways

D. DEFINITIONS

Access: A public or private point of entry or exit from land adjacent to a public highway or roadway utilized by motorized vehicles, typically described as an entrance or driveway depending on the land use and/or volume of traffic generated by the use.

Access Point: The intersection of an existing or proposed access with the public right-of-way.

Access Management: Access Management is the proactive management of vehicular access points to land parcels adjacent to all manner of roadways. Good access management promotes safe and efficient use of the transportation network and maintains the posted speed limit on Arterial and Collector Roadways.

1. Corner Clearance

Definition:

"The minimum distance, measured parallel to a highway, between the nearest curb, pavement or shoulder line of an intersecting public way and the nearest edge of an entrance excluding its radii."

Technical Standard:

The minimum corner clearance for all streets, entrances and/or driveways on Compact Classified Arterials and both major and minor collector roadways must be 100-feet for un-signalized intersections and 125-feet at signalized intersections except at no time will a street, entrance or driveway be located on the radius of the two intersecting roadways. The minimum corner clearance on all local (both private and public roadways) shall be 75-feet.

2. <u>Double Frontage Lots</u>

Definition:

"A double frontage lot is a parcel of land that has sufficient frontage on two public streets; whereby, minimum corner clearance standards to the parcel can be met based upon Town of Gorham Access Management Standards."

Technical Standard:

The preference is for the access to be provided at the lower classified roadway. In addition the following shall be confirmed:

Where a site has frontage on two or more streets on all Compact Area Arterial, Major and Minor Collector roads, access to the proposed site will be from the lower classification of street unless the higher classification of street has less potential for traffic congestion and for hazards to both vehicle traffic and pedestrians. A traffic analysis, whose scope is defined by Town Staff will be required to determine the preferred frontage for access. For developments with significant traffic volumes of 50 or more peak hour trips, access to both frontages will be considered based upon a detailed traffic study clearly demonstrates a traffic safety and congestion benefits will result.

Maine DOT's Entrance and Driveway rules apply to all Non-Compact Roadways; Maine DOT's Region 1 office should be consulted for these classified roadways.

3. Intersection/Entrance Spacing

Definition:

"Intersection/entrance or driveway spacing is the measured distance between access facilities on a roadway. The separation distance is measured from the edge of the proposed street/entrance or driveway to the edge of the existing street/entrance, excluding the corner radii.

Technical Standard:

Any street, entrance or driveway located on all arterial and major collector roads shall be separated from any other existing or proposed street, entrance or driveways in accordance with the following table. (The proposed access shall also consider the existing location of streets, entrances and driveways across a road or highway and meet the same standards)

POSTED SPEED IN (MPH)	SEPARATION DISTANCE (FEET)
25 OR LESS	90
30	105
35	130

40	175
45	265
50	350

The Planning Board may relax these standards only upon finding, based upon a traffic study, that the location of the street, entrance or driveway closer than these minimum standards is necessary for effective utilization of the site and or provides an opportunity for sharing access with an adjacent parcel reducing the total number of required site access openings and will not cause unreasonable congestion and /or safety hazards.

4. Shared Entrances

Definition:

"A single entrance or driveway serving two or more developable parcels. A shared driveway may cross a lot line or be on the parcel line, and the owners may have an easement for the shared use."

Technical Standard:

The Planning Board shall consider, where feasible, opportunities for shared entrances and/or driveways between adjacent parcels on all arterial and major collector roadways. The Planning Board may require the performance of a traffic study to determine if the proposed single entrance or driveway access serving two or more parcels improves roadway safety and congestion.

5. <u>Parcel Interconnectivity</u>

Definition:

"The ability to enter or exit adjacent properties or parcels without entering or exiting the public highway or roadway system via internal connections between two or more properties or parcels."

This can be accomplished by use of "frontage or backage" roads as well as direct connections between adjacent properties or parcels.

Technical Standard

The Planning board shall consider where feasible, opportunities for direct connections between parcels and/or the use of "frontage or backage" roads between adjacent parcels on all arterial and major collector roadways. The Planning Board may require the performance of a traffic study to determine if the proposed interconnection of two or more parcels improves roadway safety and congestion.

New developments shall consider and plan their site's to allow for future parcel interconnectivity via one of the methods described above and can be required to provide parcel interconnectivity with an adjacent existing parcel via an easement. Planning Board shall consider requiring a new development to provide their half of a direct parcel connection if an agreement to complete a full connection cannot be made with the adjacent parcel, or money can be held in escrow to make the improvement in the future.

A detailed traffic study will be required to determine the appropriate type of parcel interconnectivity and design that will provide optimal traffic operations and safety.

6. <u>Number of Entrances</u>

Definition:

Access to and from the public right-of-way to a proposed development shall be via a formal entrance. Entrances shall be designed and constructed to accommodate the appropriate level of traffic volumes and design vehicle, and provide for safe and efficient connection to arterials, collectors and local roads.

Technical Standard

New developments will be allowed one primary entrance that meets the Town Standards. The Planning board shall consider opportunities for shared entrances and parcel interconnectivity where feasible to reduce the number of curb-cuts on arterial and collector roadways. New developments generating 50 or more peak hour trips may be allowed a secondary entrance, or two one-way entrances. A formal traffic study, defined by the Planning Board and Town Staff, shall determine justification for the additional entrance(s).

The Planning Board shall consider restrictions of movements to proposed entrances where it can be shown through a traffic study that safety concerns warrant it.

3. Access Management Applicable Roadways

Town of Gorham Access Management

The Access Management Regulations for the Town of Gorham shall apply to the following roadways:

Route 114 (Arterial) Route 25 (Arterial) Route 202 (Arterial) Route 22 (Arterial) Route 237 (Arterial) Route 112 (Arterial) Brackett Rd. (Collector) New Portland Rd. (Arterial) Day Rd. (Collector) McLellan Rd. (Collector) Flaggy Meadow Rd. (Collector) North Gorham Road (Collector) Wilson Road (Rural Sub-Collector) Dunlap/Plummer Road (Rural Sub-Collector/Collector) Libby Ave (Collector) Excluding Libby Ave from Rte. 202 to end. Huston Road (Collector) Wescott Road (Rural Sub-Collector) Between Rte. 114 and Plummer Road Spiller Road (Collector) Dingley Spring Road (Collector) Wood Road (Rural Sub-Collector) Deering Road (Collector) Burnham Road (Collector) Mitchell Hill Road (Collector) Saco Street (Collector) Bartlett Road (Industrial/Commercial) Middle Jam Road (Rural Sub-Collector) Queen Street (Rural Sub-Collector) Between Rte. 202 & Rte. 237

PROPOSED MOTIONS:

Move to send the proposed Land Use & Development Code Amendment to revise standards for curb cuts on arterials and designated collectors to the (Planning Board Ordinance Committee or Comprehensive Plan Implementation Committee) for review and recommendations.

OR

Move to send the proposed Land Use & Development Code Amendment to revise standards for curb cuts on arterials and designated collectors to the next available Planning Board meeting for a public hearing.